REFERENCES:-

1. A.Castiñeiras, M. C. F. Vidal, J. Romero, (2001), “Synthesis, characterization, and magnetic behavior of dinu.clear nickel(II) complexes of N,N'-substituted dithiooxamides derived from α-amino acids,” Zeitschrift fur Anorganische und Allgemeine Chemie, vol. 627, no. 7, pp. 1553–1559.

2. D. Wang, Y.-D. Shang, F. Quin, L. Fang, and P. Grong, (2004), “Synthesis and in Vitro Antivaral Activities of Some New 2-Arylthiomethyl-4-tertiarylaminomethyl substituted derivatives of 6-Bromo-3-ethoxycarbonyl-5-hydroxyindoles,” Chinese Chemical Letters, vol. 15, no. 1, pp. 19–22.

3. E.A.Elzahany, K.H.Hegab, S.K.H.Khalil and K.N.S..E. G. Mesropyan, G. B. Ambartsumyan, A. A. Avetisyan, M. G. Sarkisyan, and G. S. Amazaspyan, (2001), “SynthesisYoussef, (2008), Australian Journal of Basic and Applied Sciences of isatin and 5-bromoi, 2(2), pp 210.

4. FAZEELAT TAHIRA, MUHAMMAD IMRAN, JAVED IQBAL and SHOOMAILA LATIF, (2009), “ Synthesis, characterization and Biological Sudies of Metal Complexes of Co(II), Ni (II), Zn(II) with Sulphadimidine-benzylidene” J.Chem.Soc.Pak, Vol.31, No.3, pp 453-457..

5. Hai Jian YANG, Wen Hua SUN, Zi Long, Zhi MA, (2002), « The rapid synthesis of Schiff base without solvent under microwave irradiation, Chinese Chemical Letters, Vol. 13, No.1, pp 3-6.

6. Jigna Parekh, Pranav Inamdhar, Rathish Nair,(2005), “Synthesis and Antimicrobial study of some Schiff bases derived from 4-aminobenzoic acid”, J.Serb.Chem.Soc.70(10) 1155-
1161.

7. J. B. Jensen, H. Egsgaard, H. Van Onckelen, and B. U. Jochimsen, (1995), “Catabolism of indole-3-acetic acid and 4- and 5-chloroindole-3-acetic acid in Bradyrhizobium japonicum,” Journal of Bacteriology, vol. 177, no. 20, pp. 5762–5766.

8. J. R. Allan, A. Renton, W. E. Smith, D. L. Gerrard, and J. Birnie, (1990), “Thermal studies on pyridine-3,4-dicarboxylic acid compounds of cobalt, nickel and copper,” Thermochimica Acta, vol. 161, no. 1, pp. 111–118.

9. Khandar, K. Nejati, and Z. Rezvani,(2005), “Syntheses, characterization and study of the use of cobalt (II) Schiff-Base complexes as catalysts for the oxidation of styrene by molecular oxygen,” Molecules, vol. 10, no. 1, pp. 302–311.

10. L. Stoicescu, M. Negoiu, R. Geogescu, and T. Rosu, (2001), “Pd(II), Pt(II), and Cu(II) complexes of N,N'-bis(methoxy-ylethyl)ethandithioamide synthesis and spectroscopic studies,” in Proceedings of the 12th Romanian Conference of Chemistry and Chemical Engineering, Bucharest, Romania, December .

11. M. S. Islam, M.A Farooque, M.A.K. Bodruddoza, M.A.Mosaddik and M.S.Alam, (2001), Online Journal of Biological Sciences, 198), pp 718.

12. M. Singh and R. Nayan, “Synthesis and characterization of nickel(II) complexes with some tetraaza macrocyclic ligands, (1996),” Indian Journal of Chemistry. Section A, vol. 35, no. 3, pp. 239–242.

13. M. C. Vidal, I. Lens, A. Castiñeiras, A. Matilla Hernández, J. M. Tercero Moreno, and J. Niclós-Gutiérrez ,(1999), “N,N’ -substituted dithiooxamides derived from alkyl-α-amino acids or from glycylglycine: acid dissociation properties in aqueous solution and crystal and molecular structures of N,N' -bis(carboxymethyl) dithiooxamide (GLYDTO) and N,N' -bis(1-carboxyethyl) dithiooxamide (ALADTO),” Polyhedron, vol. 18, no. 25, pp. 3313–3319.

14. M. Yoneda, K. Tsujimoto, M. Ohashi, M. Shiratsuchi, and Y. Ohkawa, (1990), “Structures of [M-44]+ ions in the electron impact and fast atom bombardment mass spectra of the b-blocker nipradilol with nitrate ester group,” Organic Mass Spectrometry, vol. 25, no. 3, pp. 146–150.

15. M. Unger, W. Jacobsen, U. Holzgrabe, and L. Z. Benet ,(2002), “Quantitative liquid chromatography-mass spectrometry determination of isatin in urine using automated on-line extraction,” Journal of Chromatography B, vol. 767, no. 2, pp. 245–253.

16. N. Nawar, M. A. Khattab, M. M. Bekheit, and A. H. El-Kaddah, (1996), “Synthesis and spectral studies of manganese(II), cobalt(II), nickel(II), copper(II), zinc(II), cadmium(II) and mercury(II) complexes of 4-oxo-4H-1-benzopyran-3-carboxaldehyde hydrazone derivatives,” Indian Journal of Chemistry. Section A, vol. 35, no. 4, pp. 308–312.

17. N. Raman, S. Ravichandran, and C. Thangaraja, (2004), “Copper(II), cobalt(II), nickel(II) and zinc(II) complexes of Schiff base derived from benzil-2,4-dinitrophenylhydrazone with aniline,” Journal of Chemical Sciences, vol. 116, no. 4, pp. 215–219.

18. N.Raman and C.Thangaraja, (2005), Transition Metal Chemistry, 30, pp 317.

19. Nida Iqbal, Javed Iqbal, Muhammad Imran, (2009),” Synthesis, Characterization and antibacterial studies of some metal complexes of a Schiff base derived from Benzaldehyde and Sulfonamide ”, Journal of Scientific Research, Vol. XXXIX No. 1.

20. N Raman, J DHAVEETHU RAJA and A SAKTHIVEL, (2007), “ Synthesis, spectral characterization of Schiff base transition metal complexes: DNA cleavage and antimicrobial activity studies”, J.Chem.Sci, Vol.No 4, pp 303-310.

21. O. V. Mikhailov and A. I. Khamitova,(1998), “Mild template synthesis of (2,8-dithio-3,7-diaza-5-oxanonanedithioamido-1,9)aquohydroxocobalt(III) in the KCoFe(CN)6 gelatin-immobilized matrix systems,” Russian Journal of Coordination Chemistry, vol. 24, no. 11, pp. 807–810.

22. Q. Y. Ye, Y. Nakano, G. R. Frauenhoff, D. R. Whitcomb, F. Takusagawa, and D. H. Busch, (1991), “Tetradentate dithiooxamide ligands and their nickel complexes. Synthesis, characterization, and crystal structure of a mononuclear neutral complex, Ni(c- C5H9)NHC(S)N(CH2)2NC(S) C(S)NH(c-C5H9),” Inorganic Chemistry, vol. 30, no. 7, pp. 1503–1510.

23. R.A.Khalil, A.H.Jalil and A.Y.abd-Alrazzak, (2009), “ Application of Schiff base derived from Sulfonamide as an Acid Base Indicator”, J.Iran.Chem.Soc, Vol.6, No.2 pp.

24. S. K. Sridhar, M. Saravanan, and A. Ramesh, (2001), “Synthesis and antibacterial screening of hydrazones, Schiff and Mannich bases of isatin derivatives,” European Journal of Medicinal Chemistry, vol. 36, no. 7-8, pp. 615–625.

25. S. K. Sridhar, S. N. Pandeya, J. P. Stables, and A. Ramesh, (2002), “Anticonvulsant activity of hydrazones, Schiff and Mannich bases of isatin derivatives,” European Journal of Pharmaceutical Sciences, vol. 16, no. 3, pp. 129–132.

26. S. N. Pandeya, D. Sriram, G. Nath, and E. De Clercq, (1999), “Synthesis and antimicrobial activity of Schiff and Mannich bases of isatin and its derivatives with pyrimidine,” Farmaco, vol. 54, no. 9, pp. 624–628.

27. S. N. Pandeya, D. Sriram, G. Nath, and E. De Clercq, (2000), “Synthesis, antibacterial, antifungal and anti-HIV activities of norfloxacin Mannich bases,” European Journal of Medicinal Chemistry, vol. 35, no. 2, pp. 249–255.

28. Santosh Kumar, Niranjan M S, Chaluvaraju KC, Jamakhandi CM and Dayanand Kadadevar, (2010), “ Synthesis and Antimicrobial Study of Some Schiff of Sulfonamides”, Journal of Current Pharmaceutical Research, 01, pp 39-42.

29. S.Arulmurugan, Helen P.Kavitha and B.R.Venkatraman, (2010), “ Biological activities of Schiff base and its complexes review”, Rasayan J.Chem., Vol. 3, pp 385-401

30. Umesh K.Singh, Surendra N.Pandeya, Sandeep K.Sethia, (2010),” Synthesis and Biological Evaluation of some Sulfonamides Schiff’s bases”, International Journal of Pharmaceutical Sciences and Drug Research, 2(3). 216-218.